


Message

---

**From:** Beth.Messer@epa.ohio.gov [Beth.Messer@epa.ohio.gov]  
**Sent:** 6/19/2020 6:26:44 PM  
**To:** Wilson, Jennifer [wilson.jenniferA@epa.gov]; Amy.Klei@epa.ohio.gov; Carr, Brian A (DHHR) [brian.a.carr@wv.gov]; Patel, Yogesh P [Yogesh.P.Patel@wv.gov]; Meredith Vance [meredith.j.vance@wv.gov]; White, Colin [Colin.White@epa.ohio.gov]  
**CC:** Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]  
**Subject:** RE: Meeting to Discuss RARE Grant PFAS Sampling Plan  
**Attachments:** ATT00001.txt

Monday, June 29 at 3 PM ET works for us. Please include Colin White, Emerging Contaminant Manager cc'd on this email. Thanks!

Beth Messer  
Assistant Chief  
Division of Drinking and Ground Waters  
614-644-2752



---

**From:** Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Sent:** Thursday, June 18, 2020 6:23 PM  
**To:** Klei, Amy <Amy.Klei@epa.ohio.gov>; Messer, Beth <Beth.Messer@epa.ohio.gov>; Carr, Brian A (DHHR) <brian.a.carr@wv.gov>; Patel, Yogesh P <Yogesh.P.Patel@wv.gov>; Meredith Vance <meredith.j.vance@wv.gov>  
**Cc:** Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>  
**Subject:** Meeting to Discuss RARE Grant PFAS Sampling Plan

Hi All,

We are doing a research study with ORD looking at PFAS in groundwater, surface water, soil, and vegetation resulting from DuPont's Washington Works Facility. I have attached the study plan and we would like to discuss it with you. Please note, Roger, Kevin and I did not have a lot of input in this plan, but we are able to provide more input now and we would like your input as well.

## Ex. 5 Deliberative Process (DP)

We would like to meet sometime during the next two weeks. Do any of these times work? I am going to schedule an hour meeting:

- 1) Tuesday, June 23 11 A.M. to noon EST
- 2) Thursday, June 25 2 – 4 P.M. EST
- 3) Monday, June 29 2 P.M. to 4 P.M. EST

Finally, Amy and Beth, I am not sure if you want all of the people that you have had in the past on the Order calls at this meeting. This research project is unrelated to the Order. Thus, if you could check and see when the people you want on the call are available of the above times, that would be great.

Thank you and I hope everyone is well,  
Jenny

Jennifer Wilson, P.E.  
Environmental Engineer, Water Enforcement and Compliance Assurance Branch  
U.S. EPA Region 5  
ECW-15J  
77 West Jackson Blvd.  
Chicago, IL 60604

e-mail: [wilson.jennifera@epa.gov](mailto:wilson.jennifera@epa.gov)  
Phone: (312)353-3115  
Fax: (312)697-2751

*This email may contain deliberative, attorney-client, attorney work product, or otherwise privileged material. Do not release under FOIA without appropriate review. If this email has been received by you in error, you are instructed to delete it from your machine and all storage media whether electronic or hard copy.*

**CAUTION:** This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to [csc@ohio.gov](mailto:csc@ohio.gov) or click the Phish Alert Button if available.

This email is intended for the sole use of the intended recipient and may contain privileged, sensitive or protected information. If you are not the intended recipient, be advised that the unauthorized use, disclosure, copying, distribution, or action taken in reliance on the contents of this communication is prohibited. If you have received this email in error, please notify the sender via telephone or return email and immediately delete this email.